



- source management J. Environ. Manage. 288, 112304

Our research was funded by the projects AGL2015-64582-C3-3-R (MINECO-FEDER), S2013/ABI-2717 (AGRISOST-CM) and the FPI grant BES-2016-076712. Funding for this research was also provided by EuroChem Agro GmbH

Effect of urease and nitrification inhibitors on N₂O emissions, ammonia volatilization and crop yield in a rape crop

Mónica Montoya^{1,2}, Guillermo Guardia^{1,2}, Alberto Sanz-Cobena^{1,2}, Celia Ginés^{1,2}, Jaime Recio^{1,2} and Antonio Vallejo^{1,2} ¹ Departamento de Química y Tecnología de Alimentos, ETSI Agronómica, Alimentaria y de Biosistemas, Universidad Politécnica de Madrid (UPM), Avenida Puerta de Hierro 2-4, 28040 Madrid, Spain. ² Centro de Estudios e Investigación para la Gestión de Riesgos Agrarios y Medioambientales (CEIGRAM), Universidad Politécnica de Madrid, calle Senda del Rey 13, 28040 Madrid, Spain. E-mail: monica.montoya@upm.es

. Abalos D, Sanz-Cobena A, Misselbrook T, and Vallejo A 2012 Effectiveness of urease inhibition on the abatement of ammonia, nitrous oxide and nitric oxide emissions in a non-irrigated Mediterranean barley field. Chemosphere 89 310-318 2. Köbke S, Senbayram M, Pfeiffer B, Nacke H, and Dittert K 2018 Post-harvest N₂O and CO₂ emissions related to plant residue incorporation of oilseed rape and barley straw depend on soil NO₃- content Soil Tillage Res. **179** 105-113 Montoya M, Vallejo A, Corrochano-Monsalve M, Aguilera E, Sanz-Cobena A, Ginés C, González-Murua C, Álvarez J.M, Guardia G 2021 Mitigation of yield-scaled nitrous oxide emissions and global warming potential in an oilseed rape crop through N

Sanz-Cobena A, Sánchez-Martín L, García-Torres L, and Vallejo A 2012 Gaseous emissions of N₂O and NO₃ – leaching from urea applied with urease and nitrification inhibitors to a maize (Zea mays) crop. Agric. Ecosyst. Environ. 149 64-73

Treatment	N ₂ O cumulative emission (kg N ha ⁻¹)
С	0.20 a
U	1.24 c
UI	0.35 b
U+DI	0.037 b
S.E.	0.04
P value	0.0000

